Orders go through Sonia Gregory at 877-RSC-GOV6, or <a href="mailto:sonia.gregory@rscrental.com">sonia.gregory@rscrental.com</a> Please include the part numbers you are interested in. Any questions regarding our products may also be emailed to Sonia Gregory at the above address.

Hardv	vare Superstore Schedule 51		
FSC Class:	51, 52		
Contract Period:	8/30/07 through 8/29/12		
Contractor:	RSC Equipment Rental		
	6929 E. Greenway Parkway, Ste.200		
	Scottsdale, AZ, 85254		
	Phone: 480-905-3300	Fax: 480-367-2971	
	Toll Free 877-RSC-GOV6		
	Direct dial; 480-281-6903		
	Information for Ordering Activities		
1a) SINs:	105-001- Tool & Supply sales, walk-in, walk-out, 515-002- short-term		
	rental		
1b) Lowest Priced Models:	See Price List (RSC GSA catalog)		
2) Maximum Order:	105-001 - \$750,000, 515-002 -\$100,000		
3) Minimum Order:	1 each of any item in catalog		
4) Geographic Coverage:	Delivery is FOB point CONUS		
5) Point of Production:	Local RSC branches		
6) Discount:	Various – see GSA Advantage for net pricing		
7) Quantity discount:	Included in basic discount		
8) Prompt Payment Terms:	Net 30		
9) Purchase card:	Government Procurement Card, MasterCard and Visa		
10) Foreign Items:	None		
11a) Delivery:	Sin 105-001- in stock- 24 hrs./walk-in store, SIN 515-002- 7 days ARO		
11b) Urgent Requirements:	Contact Contractor		
12) FOB Point:	Destination – delivery & refueling charges apply to SIN 515-002		
13) Ordering Address:	Contact Sales Office Above		
14) Payment Address:	PO Box 840514, Dallas, TX 75284		
15) Warranty:	Standard Manufacturer's Product Warranty		
16) DUNS Number:	927624775		
17) CCR Registration:	Yes		
18) CAGE code	1HKL9		

If you have any questions regarding RSC Equipment Rental, our products or pricing, please feel free to contact Sonia Gregory at 877-RSC-GOV6 or <a href="mailto:sonia.gregory@rscrental.com">sonia.gregory@rscrental.com</a>. Please include any information specific to your inquiry such as part numbers and descriptions.

86-093385

Information about our locations can be obtained using the "Find Location" function at <a href="www.RSCrental.com">www.RSCrental.com</a>. Our GSA catalog is also on our web site. Use the link to the virtual catalog at <a href="www.RSCrental.com">www.RSCrental.com</a>.

19) Federal ID/Tax ID #

Part Number	Manufacturer	Category/Class	Description Large size pneumatic breaker, generally 90	Notes
TEXP90	ATLAS COPCO	100-1560 AIR BREAKER-80-90 LB	pounds - perfect for big jobs with intensive demolition work. Electric demo hammer	
11311EVS- SDSMAX	BOSCH	110-1050 CHIPPING/DEMO HAMMER-EL	SDS-Max. Can be used as a chipping hammer or a roto-hammer with a variety of bit sizes.  Bosch brute, 15 amp, 60 pound electric breaker.	
11304K	BOSCH	110-1080 ELECTRIC BREAKER-60-75	Great for full size demo jobs where air compressors aren't an option. Large core drill - good for	
DD-200	HILTI	110-1480 CORE DRILL-ELEC-17-23 A	larger holes in concrete (up to 6 inches)	<b>.</b>
			This unit will distribute your power to up to 8 outlets.	Similar to: power box, spider box, turtle box,
A-9600 THE YW BOX	ELETRICORD	110-2560 TEMP- POWER DISTRIBUTION	Rated for 50amps 125/250 volts - UL listed for outdoor use.	electric distribut or
PC600BL	CROFT	120-1520 APPLIANCE DOLLY	larger capacity dolly with strap. High RPM cut-off saw good for cutting concrete, asphalt, and other difficult surfaces, be sure to get the	Similar
K3000EL	PARTNER	150-2260 CUT OFF SAW-HAND-HELD-E 160-2080	proper blade for your application.	to: Target saw
MC94PH8	MULTIQUIP	CONCRETE MIXER-8-9 CU F	2-3 bag mixer, best for concrete.	
855PM	STONE	160-2160 MORTAR MIXER-8-9 CU FT 160-2400	2-3 bag mixer for mortar only. 16 CF, 2,500 pound	
SB1600	STONE	CONCRETE POWER BUGGY-R/ 160-2870	capacity - cruises at an amazing 7 MPH! Units are either 46 or 48"	
BA48H	MULTIQUIP	CONCRETE TROWEL- W/B 46-	wide, with a walk-behind setup. 2 HP vibrator. Various	
M2000	WACKER	160-2910 CONCRETE VIBRATOR- ELEC-	lengths available - be sure to request the appropriate size.  3 HP vibrator. Various	
903	WYCO	160-2920 CONCRETE VIBRATOR- ELEC-	lengths available - be sure to request the appropriate size.	Similar
PT2A	WACKER	180-1660 CENTRIFUGAL TRASH PUMP-	2" trash pump, 210GPM, max suction head 25'.	to: Honda wt20

				Similar
PT3A	WACKER	180-1700 CENTRIFUGAL TRASH PUMP- 190-1140	3" trash pump, 400GPM, max suction head 25'.	to: Honda wt30
CW25053PGH	MI-T-M	PRESSURE WASHER- COLD-GA	2700 PSI washer 2.4 GPM. Gas powered, 30	
GP3800A	WACKER	250-1040 GENERATOR-3 TO 4.9 KW G	amp/120V or 15 amp/240V continuous watts: 3200 max watts: 3600 Gas powered, 50	
GEN60000MH	MI-T-M	250-1120 GENERATOR-5 TO 6.9 KW G	amp/120V or 25 amp/240V continuous watts: 5000 max watts: 6000 60 amp/120, 1 or 3 phase	
DCA25USIC	MULTIQUIP	250-1205 GENERATOR-20-29 KW	and multiple voltage settings. Single phase = 20KW, 3 phase = 22KW.	O' as the a
				Similar to: Lincoln vntg500-
BB500CCCV	MILLER	260-2350 ARC WELDER-500 AMP-DSL	Up to 600amp, tow-behind, diesel welder. 4 1000 watt bulbs, can	k2271-1, Miller bb502D
AL4060D4MH	AMIDA	270-1380 LIGHT TOWER-4-6KW-4 LAM	luminate 7.5 acres. Average run time on one tank of fuel = 60 hours.	Similar
RT82	WACKER	300-1160 W/B ROLLER-PADFOOT-3000	This unit weighs over 3000 pounds, is 32" wide, vibrates at 2400VPM and moves at 131FPM.	to: Wacker RT56- SC, RT820 Similar
RD11A	WACKER	300-1220 R/O ROLLER-VIB SMOOTH-D	This double drum, smooth, ride-on roller weighs over 2400 pounds, vibrates at 4200 VPM, and has a drum width of 35.4".	to: RD11A, Multiqui p AR13H
SD45D	IR	300-1320 R/O ROLLER-VIB SMOOTH-S	This is a large, single drum, smooth roller. The unit weighs 5 tons, the drum width is 54", and it provides 16,000 pounds of centrifugal force.	Similar to: Bomag, Superpa c Similar
MVC90	MULTIQUIP	300-1400 PLATE COMPACTOR-FWD-3-3	The MVC90 is 19.6" wide, weighs 194 pounds, and delivers 3350 pounds of force.	to: Wacker WP1550 AW, AP1550 AW Similar
BS70 2I	WACKER	300-1555 RAMMER- GAS-3.3-4.3K FOR	Units in this category weigh roughly 155 pounds and deliver 3300 pounds of force.	to: Dynapa c LT62, Multiqui p MT84F,

BS60 2I	WACKER	300-1560 RAMMER- GAS-2.7-3.2K FOR	These units are roughly 145 pounds, have a shoe size of 11x13", and deliver 3000 pounds of force. These units can dig 14' deep and generally have an 18" bucket. Wet kits, and	
580M	CASE	310-1480 BACKHOE- 4WD 12-15'	Wain-Roy attachments should be requested if needed.	Circilon
S150	BOBCAT	312-1070 SKIDSTEER LOADER- 1351-1	These units have a dump height of over 9', a 46 HP engine and an operating capacity of 1500 pounds.	Similar to: Case 410, 40XT, 763G, S160 Similar to: Case
S220	BOBCAT	312-1080 SKIDSTEER LOADER- 1751-2	These units have 70 HP engine and an operating capacity of 1900 pounds.	440, 435, 75XT Similar to: IHI 17NE, 15NX, Bobcat 322
323	BOBCAT	313-1030 MINI EXCAVATOR-6-7.9' D	A minimum of 7' digging depth, and a width of less than 39".	Kobelco SK15, Deere 17D Similar to: IHI 28N,
325	BOBCAT	313-1040 MINI EXCAVATOR-8-9.9' D	A minimum of 8' digging depth. Mini excavator on rubber tracks. This unit creates a trench at least 3-1/4" wide by 30"	25NX, Bobcat 328
1230H	DITCHWITCH	320-1490 TRENCHER-W/B-10-13 HP	deep. It has a 30 HP engine, and moves at 276 FPM. These units have a 43 HP	Similar to: 1229 1030
RT40	DITCHWITCH	320-1580 TRENCHER-R/O-35-39 HP	engine, and create a standard trench sizes of 42" deep by 6" wide.	Similar to: 3700DD Similar
XAS185JDHH	ATLASCOPCO	340-1340 AIR COMPRESSOR-DSL-80-1	These are towable units that provide 185 CFM - enough to run multiple jack hammers.	to: XAS97, XAS96, IR P185, Sullair 185 Similar to:
G25E	DAEWOO	360-1040 IND FORKLIFT-5000 LB	5000 pound lift capacity, dual fuel industrial forklift.	GDP050 RG

586G	CASE	360-1660 STRMST FORKLIFT-6000LB-	Rough terrain, straight mast forklift with a 6000 pound lift capacity. 4WD can also be requested. Telescoping forklift with a 5000 pound capacity and a minimum lift of 18'. We	Similar
TX55-19	TEREX	360-1981 RCH FORKLIFT-FXD-5000 L	have many different sizes of reach forklifts; please request a size that fits your needs.  Telescoping forklift with a 6000 pound capacity and a minimum lift of 32'. We	to: GENIE GTH551
RS5	GEHL	360-2125 RCH FORKLIFT-6000 LB 20	have many different sizes of reach forklifts; please request a size that fits your needs.  Telescoping forklift with a 6000 pound capacity and a minimum lift of 36'. We	Similar to:
6036	SKYTRAK	360-2130 RCH FORKLIFT-6000 LB 35	have many different sizes of reach forklifts; please request a size that fits your needs. 36' working height with a 500 pound lift capacity, most of these units are designed to fit through	534d6- 36 GRADA LL Similar to: GENIE Z30/20
Z34/22-DC	GENIE	370-1061 ART BOOM LIFT-30-34'-2W	double doors. Please note in order if you have size restrictions.	DC JLG E300AJ P Similar to: Z45-
Z45/22 DC	GENIE	370-1204 ART BOOM LIFT-45-49'-2W	51' working height with a 500 pound lift capacity.	25 E450AJ Similar
3219	SKYJACK	380-1010 SCISSOR LIFT-15-19' DC	32.5" wide unit with a working height of 25' and a lift capacity of 500 pounds.	to: JLG 1930ES GENIE GS1930 Similar to:
3220	SKYJACK	380-1020 SCISSOR LIFT-20' DC-30-	These units offer a 26' working height, are less than 33" wide and have a lift capacity of 500 pounds. These units offer a 32' working height, are less	GENIE GS2032 JLG 2030ES Similar to:
3226	SKYJACK	380-1135 SCISSOR LIFT-26' DC-30-	than 33" wide and have a lift capacity of 500 pounds. These units offer a 33'	GENIE GS2632
7127	SKYJACK	380-1160 SCISSOR LIFT-25-29' 4WD	working height, are less than 6' wide and have a lift capacity of 1500 pounds. These units offer a 37' working height, are just over 7' wide and have a lift capacity of 1250 pounds.	Similar to: SJ7027
SJ 8831	SKYJACK	380-1220 SCISSOR LIFT-30-34' 4WD	They are 4WD dual fuel units and are rated to climb a 30% grade.	

SLC18	GENIE	390-1100 LIFT-18-20'	MATERIAL	These units will lift 650 pounds up to 18.5'. Larger sizes are available
SLC24	GENIE	390-1120 LIFT-24-25'	MATERIAL	These units will lift 650 pounds up to 24'. Smaller sizes are available
01024	CEME	390-1180 PERSONNEL	. LIFT-20-25'	Working height of 31', single man platform can lift
AWP25SDC	GENIE	D		350 pounds.